



APR 2 | 1998

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Nicholas G. Levandoski, Ph.D.
President
IRT Management Corporation
470 Ansin Boulevard, Suite G
Hallandale, Florida 33009

Re: K980783
Trade Name: Simplex Saliva Absorber/Collector, Model
SSA-5
Regulatory Class: I
Product Code: KHR
Dated: February 27, 1998
Received: March 2, 1998

Dear Dr. Levandoski:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of

the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control,
and General Hospital Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): **K980783**

Device Name: SIMPLEX™ SALIVA ABSORBER/COLLECTOR

Indications For Use:

General Usage:

For the absorption/Collection and removal of excessive saliva during dental procedures.

For the absorption/Collection and removal of saliva when excessive saliva is seen collecting in the mouth.

For the absorption/Collection and removal of saliva in General Pediatric Use.


For the absorption/Collection and removal of saliva whenever a potential choking hazard exists with commonly used saliva absorbers.

For the absorption and removal of saliva when typical "suction" type devices are not appropriate or effective.

For the collection of saliva when other absorber devices or suction devices are not appropriate or tolerated easily by the patient.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K980783

Prescription Use X
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

(Optional Format 1-2-96)